Accessibility Plan - SALHOUSE PRIMARY SCHOOL 2017 - 2020

		Improving	g Access to the Physical Env	vironment		
Areas to consider	RAG	Target	Action	Responsibility	Time Frame	Success Criteria
External and internal steps and kerbs		Check accessibility for wheel chairs	None required as at July 2018			Accessible for wheelchairs and walking aids
Exterior surfaces inc paving		Check for uneven ground	None required as at July 2018			No trip hazards
Parking areas		Sufficient for disabled?	Repaint Disabled marking and review siting of bay	JC JC	Dec-18	Clear signage for disabled parking
Entrances and exits		Wide enough for wheelchairs and not obstructed	None required as at July 2018			Access and exits accessible for wheelchairs
Internal and external doors		Sufficient width and frames differentiated	Different colour internal frames needed on all doors	JC	Ongoing	All areas accessible and easily identified
Gates		Catches accessible	None required as at November 2017 - would need unlocking			Access and exits accessible for wheelchairs
Toilets and washing facilities		Disabled accessibility for adults and children with sinks correct height	One disabled toilet for staff and children with wide doors, emergency pull etc			Toilets and washing facilities accessible
Lighting		Sufficient but no glare	None required - checked by NPS			Lighting suitable
Heating		Temperature can be modified	None required - checked by NPS			Heating adjustable

Areas to consider	RAG	Target	Action	Responsibility	Time	Success Criteria
					Frame	
Signage		For reception and	External and internal			Clear indication where
		toilets	signs in place			reception and toilets can be
						found
Floor coverings		Suitable for	None required as at July			No trips hazards evident on
		wheelchairs and	2018. Weekly H & S			flooring
		other disabilities	checks			
Furniture		Correct height and	Some tables adustable so			Tables are at a height
		not obstructing	no action required			suitable for use by
						wheelchair users
Personal Emergency		Adults and children	No action needed except	JC	Oct-18	Emergency plans needed in
Evacuation Plans in		know the procedure	named adult to be			case of intruders or quick
place			responsible for certain			exit needed
			children			
Need for ramps and		Required for ease of	Handrails already in toilet	RC & JC		Ramps and handrails
handrails		movement	. Others to be installed as			enabling ease of movement
			and when needed.			
			Temporary removeable			
			ramp to be investigated			
Induction Loops		To be reconnected	Facility exists so can be			Those with sensory
		for Sept 2018	reconnected			loss/impairment provided
						for
Communication aids		As and when	Some provided eg writing			Those with sensory
		required	slopes. No further action			loss/impairment provided
			needed at moment			for
Provision of quiet areas		For those in need of	Several areas/rooms			Access to a quiet area for
		a quiet space	availabe and used			those who need it
Removing obstructions		To ensure no hazards	Clear, with a conscious			Unhindered access to all
			effort to maintain			areas

Areas to consider	RAG	Target	Action	Responsibility	Time	Success Criteria
					Frame	
ICT equipment - larger		All equipment	No further action needed			Ease of use by all
screens, keyboards etc.		accessible	at moment: review when			
			ICT updated			
Photocopying		So larger print	No action needed			Ease of use by all
enlargement facilities		available				
Specialist pens and other			All relevant ones			Ease of use by all
implements			purchased			
	Ind	creasing the extent to v	<mark>vhich disabed pupils can pa</mark>	rticipate in the o	<u>curriculum</u>	
Consideration of		As and when	Alternative provision			Full participation by all
timetabling		required	available (Kingfisher			
			Room)			
Consideration of staff		As and when	Adults in classrooms to			Full participation by all
deployment		required	meet needs of all children			
Staff training		Appropriate training	Ongoing - more STEPS			Support for those in need
		needed for specific needs	training may be needed			
Review participation of		Not applicable as at	All inclusive			Full participation by all
all in PE		November 2017				
Review participation of		Not applicable as at	Full access and all			Full participation by all
extra curricular activities		November 2017	welcome and involved so			
			no action			
Review participation in		Not applicable as at	Full access and all			Full participation by all
lunch time activities		November 2017	welcome and involved so			
			no action			
Awareness of SEN		All staff aware of	Good accountability by all			Access to appropriate
software and resources		resources	staff			learning aids
		Im	proving Access to informat	ion	<u> </u>	

Areas to consider	RAG	Target	Action	Responsibility	Time	Success Criteria
					Frame	
Review information to		Ensure that	Access to website can be			Access to information for all
parents/carers to ensure		parents/carers who	made through School.			parties - text, website, face
it is accessible		have reading	Making sure written			to face and other media as
		difficulties or no	communication is			appropriate
		internet access have	appropriately phrased.			
		alternative	Access to staff daily.			
		communication	Open door policy.			
Ensure awareness of		All pupils to reach	Ongoing through Pupil			All pupils achieved their
pupils' individual		their potential	Progress meeting and			potential.
learning styles and			Pupil and Family support			
access needs			meetings.			